THE ROYAL BOTANIC GARDEN
EDINBURGH

EDINBURGH JOURNAL OF BOTANY

General Index to Volume 48
1991–1992

EDINBURGH : HMSO

Publication Dates:

Number 1, pp. 1–132	30 April 1991
Number 2, pp. 133–282	9 September 1991
Number 3, pp. 283–402	10 January 1992

CONTENTS OF VOLUME 48
1991–1992

Towards a revision of *Paraboea* (Gesneriaceae): **Xu Zhaoran & B. L. Burtt** 1
Notes relating to the Flora of Bhutan: XVI. *Cromopanax lobatus*, a new genus and species in Bhutan. **A. J. C. Grierson** 19
Notes relating to the Flora of Bhutan: XVII. Zingiberaceae. **R. M. Smith** 23
Ten new species from Anatolia and two new records for the Flora of Turkey. **H. Sümbul** 27
New taxa and transfers in Indian Umbelliferae. **P. K. Mukerjee & L. Constance** 41
New taxa in *Tanacetum* (Anthemideae) from Pakistan. **R. Khan** 45
New names in *Thesium* (Santalaceae) from the Flora Zambesiaca area. **O. M. Hilliard** 53
The generic position of C. B. Clarke's species of *Paracaryum* (Boraginaceae). **R. R. Mill** 55
Pleuranthodium replaces the illegitimate *Psychanthus* (Zingiberaceae). **R. M. Smith** 63
Alpinia smithiae (Zingiberaceae): a new species from South India. **M. Sabu & Jose K. Mangaly** 69
A florisitic analysis of the Gramineae of Brazil's Distrito Federal and a list of the species occurring in the area. **Tarciso S. Filgueiras** 73
Ecology, reproductive biology and hybridization in *Gaultheria* L. **David J. Middleton** 81
Poisonings by *Lepiota helveola* Bres. in southern Turkey. **Mustafa Işiloğlu & Roy Watling** 91
Effects of digestion on agaric structures. **Sally J. Fender & Roy Watling** 101
Cytological observations in Albuca, including a survey of polymorphic variation in the Sat-chromosome pair. **Kwiton Jong** 107
Book Reviews 129
Umbelliferae of Southern Africa: an introduction and annotated check-list. **B. L. Burtt** 133
Taxonomic studies in the *Gaultheria* group of genera of the Tribe Andromedeae (Ericaceae). **David J. Middleton** 283
A comparative study of five cerrado areas in southern Mato Grosso, Brazil. **A. T. Oliveira-Filho & F. R. Martins** 307
Studies on the Flora of Arabia: XXVI. A new species of *Sarcostemma* from Arabia. **P. Bruyns & P. I. Forster** 333
A new species of *Teucrium* from Northern Somalia. **M. Thulin** 337

Further new names and combinations in Scrophulariaceae–Manuleae. **O. M. Hilliard** 341
New species of *Alpinia* from Sulawesi and Sarawak. **R. M. Smith** 347
Observations on the boletes of the Cooloola Sand-mass, Queensland and notes on their distribution in Australia: Part 3. Lamellate taxa. **Roy Watling & Norma M. Gregory** 353
Studies in rusts (Uredinales) on *Astragalus* (Fabaceae). **Halvor B. Gjærum** 393
Book Review 402

Abioton Raf. 161
africanum (L.) Raf. 161
Acroglyphe [E. Mey. ex] Koso Poljansky 162
flexuosa E. Mey. 162
hispidula E. Mey. 162
obscura (Spreng.) Koso-Poljansky 162
runcinata E. Mey. 162
Actinocladus E. Mey. 162
cinerascens E. Mey. 162
Aecidium phacae 399
Aethusa leptophylla (Pers.) Spreng. 162
Agaric structures, Effects of digestion on 101
Agasyllis Spreng. 162
galbanum (L.) Spreng. 162
Agrocharis Hochst 159, 162
melanantha Hochst 162
Albuca, cytological observations in 107
Alepida O. Kuntze 163
Alepidea Delaroche 157,163
acutidens Weimarck 164
amatymbica Eckl. & Zeyh. 164
var. aquatica (O. Kuntze) Weimarck 164
var. microbracteata Weimarck 164
amatynsia 165
angustifolia Schlechter & Wolff 165
aquatica O. Kuntze 165
attenuata Weimarck 165
basinuda Pott 165
var. subnuda Weimarck 165
baurii (O. Kuntze) Dümmer 165
var. lanceolata (O. Kuntze) Dümmer 165
calocephala Schlechter & Wolff 165
capensis (Berg.) R.A. Dyer 165
var. tenella (Schlechter & Wolff) Weimarck 165
ciliaris Delaroche 166
var. *baurii* O. Kuntze 166
var. *caffrorum* H. Wolff 166
var. *cathcartensis* O. Kuntze 166
var. *cordata* [E. Mey. ex] O. Kun tze 166
var. *lanceolata* O. Kuntze 166
var. *latifolia* Eckl. & Zeyh. 166
var. *moltenensis* O. Kuntze 166
var. *normalis* O. Kuntze 166
var. *serrata* (Eckl. & Zeyh.) O. Kuntze 166
ciliaris auct. non Delaroche 166
cirsiifolia Schinz 166
cirsiifolia Schlechter & Wolff 166
comosa Dümmer 166
concinna Dümmer 166
cordata [E. Mey. ex] Dümmer 166
delicatula Weimarck 166
duplidens Weimarck 167
galpinii Dümmer 167
galpinii Schlechter & Wolff 167
gracilis Dümmer 167
var. *major* Weimarck 167
insculpta Hilliard & Burtt 167
jacobsziae Dümmer 167
jenkinsii Pott 167
lanceolata O. Kuntze 167
longiciliata [Schinz ex] Dümmer 167
longiciliata [Schinz ex] H. Wolff 167
longifolia [E.Mey ex] Dümmer 167
subsp. *comosa* (Dümmer) Weimarck 168
subsp. lancifolia Weimarck 168
var. angusta Dümmer 168
longipetiolata Schlechter & Wolff 168
macowanii Dümmer 168
moltenensis O. Kuntze 168
multisecta B.L. Burtt 168, 253
natalensis Wood & Evans 168
pilifera Weimarck 168
pusilla Weimarck 168
rehmannii Burtt Davy 168
reticulata Weimarck 168
schlechteri H. Wolff 168
schlechteri Hiroe 168
serrata Eckl. & Zeyh. 170
var. cathcartensis (O. Kuntze) Weimarck 170
setifera N.E. Br. 171
stellata Weimarck 171
tenella Schlechter & Wolff 171
thodei Dümmer 171

tysonii Dümmer 171
woodii Oliv. 171
wyliei Dümmer 171
Alkanna angustifolia H. Sümbül 36
dumanii H. Sümbül 39
milliana H. Sümbül 36
Alpinia from Sulawesi and Sarawak, New species of 347
Alpinia Roxb. 347
sect. Eubractea K. Schum. 351
sect. Myriocrater K. Schum. 347
amentacea R.M. Smith 351
glacicaerulea R.M. 349
maxii R.M. Smith 350
sandsii R.M. Smith 347
smithiae Sabu & Mangaly 69
Alpinia smithiae (Zingiberaceae): A new species from South India 69
Ammi 160
majus L. 171
var. glaucifolium (L.) Godron 171
Analyrium E. Mey. 171
millefolium E. Mey. 172
Anesorhiza 172
Anethum capense Thunb. 172
foeniculum sensu Thunb. 172
graveolens L. 172
Angelica roylei (Lindley) P.K. Mukherjee & Constance 44
Anginon Raf. 156, 158, 172, 254
difforme (L.) B.L. Burtt 172
jaarsveldii B.L. Burtt 173, 256
paniculatum (Thunb.) B.L. Burtt 173
rugosum (Thunb.) Raf. 176
swellendamense (Eckl. & Zeyh.) B.L. Burtt 176
uitenhagense (Eckl. & Zeyh.) B.L. Burtt 176
verticillatum (Sond) B.L. Burtt 176
Anisum caffrum Eckl. & Zeyh. 177
stadense Eckl. & Zeyh. 177
Annesorhiza Cham. & Schlechtd. 158, 177
altiscapa [Schlechter ex] H. Wolff 178
angustifolia (Sond.) Drude 178
caffra (Eckl. & Zeyh.) Schonl. 178
caffra (Meisn.) Drude 178
capensis Cham. & Schlechtd. 178
elata Eckl. & Zeyh. 178
filicaulis Eckl. & Zeyh. 178
flagellifolia Burtt Davy 178
grandiflora (Thunb.) Hiroe 178
grossulariifolia (Eckl. & Zeyh.) Hiroe 179
gummifera (L.) O. Kuntze 179
hirsuta Eckl. & Zeyh. 179
inebrians (Thunb.) Wijnands 179
interrupta (Thunb.) Sweet 179
latifolia Adamson 179
macrocarpa Eckl. & Zeyh. 179
marlothii H. Wolff 179
marlothii (H. Wolff) Hiroe 179
montana Eckl. & Zeyh. 179
montana (Schlechter & Wolff) Hiroe 179
nuda (Ait.) B.L. Burtt 179, 257
schlechteri H. Wolff 181
spuria Eckl. & Zeyh. 181
striata (Thunb.) Koso-Poljansky 181
teretifolia Drude 181
thunbergii B.L. Burtt 181
verticillata (Sond.) Hiroe 182
villosa (Thunb.) Sonder 182
wilmsii H. Wolff 182
Anthriscus Pers. 160, 182
afra Koso-Poljansky 182
capensis Spreng. 182
sylvestris (L.) G.F. Hoffm. 182
Apium L. 160, 182
ammi (Savi) Urban 183
australe Thouars 183
decumbens 183
filiforme 183
graveolens L. 183
subsp. *australe* (Thouars) Engl. 183
humile (Meisn.) Benth. & Hook. f. 183
inundatum (L.) Reichb.f. 183
leptophyllum (Pers.) F. Muell. 183
nodiflorum (L.) Lagasca 183
petroselinum L. 183
prostratum Ventenat 184
repens (Jacq.) Reichb.f. 184

tenuifolium Thell. 184
Apradus Adans. 184
Arabia, Studies in the flora of, XXVI 333
Arctopus L. 157, 184
dregei Sonder 184
echinatus L. 184
monacanthus [Carmichael ex] Sonder 184
Astragalus anamurensis H. Sümbül 29
chamberlainianus H. Sümbül 27
citriniflorus H. Sümbül 29
turcicus H. Sümbül 31
Astrantia capensis (Berg.) Druce 184
capensis Burm. 184
ciliaris Linn.f. 184
Athamanta lateriflora Eckl. & Zeyh. 184
scabra Burm. 185

Berula Koch 160, 185
erecta (Huds.) Coville 185
subsp. thunbergii (DC.) B.L. Burtt 185
thunbergii (DC.) H. Wolff 186
Bhutan, Notes relating to the flora of XVI, XVII, 19, 23
Bolax tridentata (L.fil.)Spreng. 186
triloba (Thunb.) Spreng. 186
BOOK REVIEWS
Arctic and Alpine Fungi - 3 by B. Senn-Irlet, K.M. Jenssen & G. Gulden 130
The European Garden Flora, vol. 3 edited by S.M. Walters and others 131
Flora of the Indian Desert, by M.M. Bhandari 402
Flora Reipublicae Popularis Sinicae vol. 59 (1 & 2) by F.M. Chen & C.M. Hu 129
Brachyapium (Baill.) Maire 186
BRUYNS, P. & FORSTER, P.I.
Studies in the flora of Arabia: XXVI. A new species of Sarcostemma from Arabia 333
Bubon L. 186
Bubon auct. non L. 186
aphyllum Cham. & Schlechtd. 186
capense (Eckl. & Zeyh.) Sonder 186
galbaniferum Hill 186
galbanum L. 186
var. *tulbaghicum* Eckl. & Zeyh. 186
hypoleucum Meisn. 186
laevigatum Ait. 186
montanum Sonder 186
multiradiatum E. Mey. 187
pimpinellifolium Eckl. & Zeyh. 187
proliferum Burm.f. 187
tenuifolium (Thunb.) Sonder 187
Bunium rigens (L.) Spreng. 187
Bupleurum L. 157, 187
acerosum E. Mey. 187
arborescens Thunb. non Jacq. 187
baldense auct. non Host 187
capitatum (L.f.) Thunb. 187
ciliatum (L.f.) Thunb. 187
collinum (Eckl. & Zeyh.) D. Dietr. 187
difforme L. 187
var. *burmannianum* Eckl. & Zeyh. 187
falcatum L. var. marginatum (DC.) C.B. Clarke forma stenophyllum (H. Wolff) P.K. Mukherjee 43
falcatum var. *africanum* Berg. 187
giganteum (L.) Thunb. 187
gracilescens Rechinger 187
mundii Cham. & Schlechtd. 187
nudum Ait. 188
quinquedentatum (L.) Thunb. 188
rotundifolium L. 188
trifoliatum Wendl. 188
villosum L. 188
Buprestis Spreng. 188
arborescens 188
difformis (L.) Spreng. 188
gigantea (L.f.) Spreng. 188
BURTT, B.L. & XU ZHAORAN
Towards a revision of Paraboea (Gesneriaceae): I 1

BURTT, B.L.
Umbelliferae of Southern Africa: an introduction and annotated checklist 133

Camptoloma lyperiiflorum (Vatke) Hilliard 341
Capnophyllum Gaertn. 160, 188
africanum (L.) Gaertn. 189
var. leiocarpon Sond. 189
jacquinii DC. 189
simplex Lagasca 189
Carum L. 189
sect. *Brachyapium* Baill. 189
capense (Thunb.) Sond. 189
carvifolium Jackson 190
didymum (Sond) Jackson 190
hispidum (Thunb.) Jackson 190
meisneri Hiroe 190
streyi (Merxm.) Hiroe 190
Caucalis africana (L.) Crantz 190
africana Thunb. 190
capensis Lam. 190
daucoides L. 190
lanata Compton 190
latifolia auct. non L. 190
melanantha (Hochst.) Hiern 190
pedunculata auct. non Baker 190
platycarpos L. 190
Centella L. 156, 190
affinis (Eckl. & Zeyh.) Adamson 191
var. oblonga Adamson 191
arbuscula (Schlechter) Domin 192
asiatica (L.) Urban 192
bupleurifolia (A. Rich.) Adamson 192
caespitosa Adamson 192
calliodus (Cham. & Schlechtd.) Drude 192
capensis (L.) Domin 192
var. micrantha Adamson 193
chamissonis Drude 193
cochlearia (Domin) Adamson 193
comptonii Adamson 193
coriacea Nannfeldt 193
debilis (Eckl. & Zeyh.) Drude 193
dentata Adamson 193
didymocarpa Adamson 194
difformis (Eckl. & Zeyh.) Adamson 194
dregeana (Sond.) Domin 194
eriantha (A.Rich.) Drude 194
var. orientalis Adamson 194
var. rotundifolia Adamson 194
flexuosa (Eckl. & Zeyh.) Drude 194
fourcadei Adamson 195
fusca (Eckl. & Zeyh.) Adamson 195
glabrata L. 195
var. *acuminata* Adamson 195
var. *affinis* (Eckl. & Zeyh.) Adamson 195
var. bracteata Adamson 195
var. *cochlearia* Domin 195
var. *coriacea* (Sond.) Domin 195
var. *linifolia* (L.f.) Adamson 195
var. natalensis Adamson 195
graminifolia Adamson 196
hederifolia (Burch.) Drude 196
hermanniifolia (Eckl. & Zeyh.) Domin 196
var. litoralis (Eckl. & Zeyh.) Domin 196
laevis Adamson 196
lanata Compton 196
lasiophylla Adamson 196
linifolia (L.f.) Drude 197
var. depressa Adamson 197
macrocarpa (A. Rich.) Adamson 197
var. saxatilis Adamson 197
macrodus (Spreng.) B.L. Burtt 197
montana (Cham. & Schlechtd.) Domin 198
var. longifolia Adamson 198
pottebergensis Adamson 198
recticarpa Adamson 198
restioides Adamson 198
rupestris (Eckl. & Zeyh.) Adamson 198
scabra Adamson 198
sessilis Adamson 199
solandra (L.f.) Drude 199
stenophylla Adamson 199
stipitata Adamson 199

tridentata (L.f.) [Drude ex] Domin 199
triloba (Thunb.) Drude 199
verticillata (Thunb.) Fourcade 199
villosa L. 199
var. latifolia (Eckl. & Zeyh.) Adamson 199
virgata (L.f.) Drude 200
var. congesta Adamson 200
var. gracilescens Domin 200
virginata auct. 200
Cephalaria gazipashensis H. Sümbül 33
peshmenii H. Sümbül 31
Chaerophyllum capense Thunb. 200
Chamarea Eckl. & Zeyh. 158, 200
capensis (Thunb.) Eckl. & Zeyh. 201
esterhuyseniae B.L. Burtt 201, 262
gracillima (H. Wolff) B.L. Burtt 201
longipedicellata B.L. Burtt 201, 263
snijmaniae B.L. Burtt 201, 267
Chiogenes 298
Choritaenia Benth. 159, 201
capensis Benth. 202
Ciclospermum Lagasca 161, 202
leptophyllum (Pers.) Eichler 202
Circuta africana (L.) Lam. 202
rigens (L.) Lam. 202
suffruticosa (Berg.) Poir. 202
Cirsium libanoticum DC.
subsp. libanoticum 35
Cnidium bachmannii H. Wolff 202
kraussianum (Meisn.) Sond. 202
var. *elatius* Sonder 202
var. *glabratum* Sonder 202
suffruticosum (Berg.) Cham. & Schlechtd. 202
Conium L. 160, 161, 202
africanum L. 203
chaerophylloides (Thunb.) Sonder 203
fontanum Hilliard & Burtt 203
var. alticola Hilliard & Burtt 203
var. silvaticum Hilliard & Burtt 203
jacquinii (DC.) D. Dietr. 203
maculatum L. 203
rigens L. 203
rigidum Christm. 203
rugosum Thunb. 203
sphaerocarpum Hilliard & Burtt 203
suffruticosum Berg. 203
tenuifolium Vahl 203
CONSTANCE, L. & MUKHERJEE, P.K.
New taxa and transfers in Indian Umbelliferae 41
Coriandrum 160
sativum L. 203
Cromapanax Grierson 19
lobatus Grierson 19
Cuminum cyminum L. 203
Cynorhiza Eckl. & Zeyh. 203
alta Eckl. & Zeyh. 204
montana Eckl. & Zeyh. 204
olifantiana Koso-Poljansky 204
sulcata Eckl. & Zeyh. 204
typica Eckl. & Zeyh. 204

Dasispermum Raf. 160, 161, 204
suffruticosum (Berg.) B.L. Burtt. 204
Daucus 159
carota L. 205
Deverra DC. 156, 158, 159, 205
aphylla (Cham. & Schlechtd.) DC. 205
burchellii (DC.) Eckl. & Zeyh. 205
denudata (Viv.) Pfisterer & Podlech
subsp. aphylla (Cham. & Schlechtd.) Pfisterer & Podlech 205
Diplolophium Turcz. 158, 159, 206
swynnertonii (Bak.f.) Norman 206
Diplycosia 302
Dracosciadium Hilliard & Burtt 157, 206
italae Hilliard & Burtt 206
saniculifolium Hilliard & Burtt 206
Dregea Eckl. & Zeyh. 206
capensis (Thunb.) Eckl. & Zeyh. 206
var. *angustifolia* Eckl. & Zeyh. 206
collina Eckl. & Zeyh. 206
montana Eckl. & Zeyh. 206
virgata (Cham. & Schlechtd.) Eckl. & Zeyh. 207

Eryngium *amatymbicum* (Eckl. & Zeyh.) Koso-Poljansky 207
caffrum Koso-Poljansky 207
Euphorbia forsskalii (Boiss.) Gay 39
Ezosciadium B.L. Burtt 159, 207
capense (Eckl. & Zeyh.) B.L. Burtt 207

FENDER, SALLY J. & WATLING, ROY
Effects of digestion on Agaric structures 101
Ferula assa-foetida auct. 207
laevigata (Ait.) Spreng. 207
stricta Spreng. 207
FILGUEIRAS, TARCISO S.
A floristic analysis of the Gramineae of Brazil's Distrito Federal and a list of the species occurring in the area 73
Foeniculum 160
capense (Thunb.) DC. 207
dulce Mill. 207
kraussianum Meisn. 207
officinale All. 207
vulgare Mill. 207
FORSTER, P.I. & BRUYNS, P.
Studies in the flora of Arabia: XXVI. A new species of Sarcostemma from Arabia 333

Galbanon Adans. 208
officinale Rafin. 208
Gaultheria group of genera, Taxonomic studies in 283
Gaultheria L., Ecology, reproductive biology and hybridization in 81
GJÆRUM, HALVOR B.
Studies in rusts (Uredinales) on Astragalus (Fabaceae) 393
Glia Sonder 158, 208
capensis (Houtt.) B.L. Burtt 208
gummifera auct. plur. 208
gummifera (L.) Sond. 208
prolifera (Burm.f.) B.L. Burtt 208
Gliopsis Rauschert 211
pyrethrifolia (Cham. & Schlechtd.) 211
Gramineae of Brazil's Distrito Federal, A floristic analysis of 73
GRIERSON, A.J.C.
Notes relating to the flora of Bhutan: XVI. Cromapanax lobatus, a new genus and species from Bhutan 19

Hedychium griersonianum R.M. Smith 23
Heloscadium capense (Eckl. & Zeyh.) Sonder 211
gracillimum (H. Wolff) Hiroe 211
inundatum (L.) Koch 211
leptophyllum (Pers.) DC. 211
repens (Jacq.) Koch 211
Hermas L. 157, 211
capitata L.f. 211
ciliata L.f. 212
depauperata L. 212
gigantea L.f. 212
intermedia C. Norman 212
minima Eckl. & Zeyh. 212
pillansii Norman 212
quercifolia Eckl. & Zeyh. 212
quinquedentata L.f. 212
rudissima [Reichb. ex] Spreng. 212
uitenhagensis Eckl. & Zeyh. 212
villosa (L.) Thunb. 212
Heteromorpha Cham. & Schlechtd. 156, 158, 213
abyssinica [Hochst. ex] A. Rich. 213
arborescens (Spreng.) Cham. & Schlechtd. 213
collina Eckl. & Zeyh. 214
glauca [Engl. ex] Lemesle 214
involucrata Conrath 214
papillosa C.C. Townsend 214
pubescens Burtt Davy 214
transvaalensis H. Wolff 214
trifoliata (Wendl.) Eckl. & Zeyh. 214
Heteroptilis [E. Mey. ex] Meisn. 215
arenaria [E. Mey ex] Meisn. 215
suffruticosa (Berg.) Leute 215

HILLIARD, O.M.
Further new names and combinations in Scrophulariaceae-Manuleae 341
New names in Thesium (Santalaceae) from the Flora Zambesiaca area 53
Hydrocotyle L. 157, 215
affinis Eckl. & Zeyh. 215
alpina Eckl. & Zeyh. 215
americana auct. afr. austr., non L. 215
arbuscula Schlechter 215
asiatica L. 215
bonariensis Lam. 215
brevipes E. Mey. 216
bupleurifolia A. Rich. 216
caffra Meisn. 216
calliodus Cham. & Schlechtd. 216
capensis (L.) O. Kuntze 216
centella Cham. & Schlechtd. 216
confusa H. Wolff 216
cuspidata [Willd. ex] Sprengel 216
debilis Eckl. & Zeyh. 216
difformis Eckl. & Zeyh. 216
dregeana Sond. 216
eriantha A. Rich. 216
falcata Eckl. & Zeyh. 216
ficarioides Lam. 216
filicaulis Eckl. & Zeyh. 217
flexuosa Eckl. & Zeyh. 217
fusca Eckl. & Zeyh. 217
glabrata L.f. 217
hederifolia Burchell 217
hermanniifolia Eckl. & Zeyh. 217
heterophylla Schinz 217
interrupta Muehl. 217
jacksonii Hiroe 217
lanuginosa Eckl. & Zeyh. 217
linearis E. Mey. 217
linifolia L.f. 217
litoralis Eckl. & Zeyh. 217
macrocarpa A. Rich. 217
macrodonta Spreng. 217
macrodus Spreng. 217
mannii Hook. f. 217
montana Cham. & Schlechtd. 218
montana sensu Sonder 218
moschata sensu Sprengel non Forster 218
multiflora Ruiz & Pavon 218
pallida DC. 218
plantaginea Spreng. 218
ranunculoides L.f. 218
repanda Pers. 218
rudatisii H. Wolff 218
rupestris Eckl. & Zeyh. 218
schlechteri Wolff 218
septemloba Schinz 218
sibthorpioides Lam. 218
solandra 218
tabularis Steud. 219
thunbergiana Sprengel 219
tomentosa Thunb. 219
trichophylla Eckl. & Zeyh. 219
tridentata L.f. 219
triloba Thunb. 219
umbellata auct. non Linn. 219
uncinata Turcz. 219
verticillata Thunb. 219
villosa (L.) L.f. 219
virgata L.f. 219
vulgaris L. var. *communis* Cham. & Schlechtd. 220
vulgaris sensu Thunb. 220

Idregea Steud. 220
capensis (Thunb.) Steud. 220
collina (Eckl. & Zeyh.) Steud. 220
montana (Eckl. & Zeyh.) Steud. 220
virgata (Cham. & Schlechtd.) Steud. 220
Indian Umbelliferae, New taxa and transfers in 41
IŞILOĞLU, MUSTAFA & WATLING, ROY
Poisonings by Lepiota helveola Bres. in southern Turkey 91
Itasina Raf. 157, 220
filifolia (Thunb.) Raf. 220

Jasione capensis Berg. 221
JONG, KWITON
Cytological observations in Albuca, including a survey of polymorphic variation in the Sat-chromosome pair 107

KHAN, RONAQ
New taxa in Tanacetum (Anthemidae) from Pakistan 45
Krubera caffra Eckl. & Zeyh. 221

Laserpitium ('Lacerpitium') capense Thunb. 221
dinteri (H. Wolff) Mattf. 221
lancifolia Mattf. 221
upingtoniae Schinz 221
Lepiota helveola Bres. in southern Turkey, Poisonings by 91
Lepiota brunneoincarnata Chodat & Martin 98
castanea Quélet 96
citrophylla (Berk. & Br.) Sacc. 98
clypeolarioides Rea 96
favrei Kühner 97
fuscovinacea Lange & Moeller 97
helveola Bres. 92, 97
josserandii Bon & Boiffard 97
kuehneri Huijsman ex Hora 98
pseudohelveola Kühn. ex Hora 97
rufescens (Berk. & Br.) Lange 96
subincarnata Lange 97
xanthophylla P.D. Orton 98
Lepisma paniculata E. Mey. 221
verticillata E. Mey. 221
Leucothoë 299
Levisticum grandiflorum (Thunb.) Sond. 221
Lichtensteinia Cham. & Schlechtd. 157, 221
beiliana Eckl. & Zeyh. 222
crassijuga [E. Mey. ex] Sonder 222
exaltata (Thunb.) Koso-Poljansky 222
inebrians (Thunb.) Eckl. & Zeyh. 222
interrupta (Thunb.) Sonder 222
kolbeana L. Bolus 223
lacera Cham. & Schlechtd. 223
latifolia Eckl. & Zeyh. 223
obscura (Spreng.) Koso-Poljansky 223
palmata DC. 224
pyrethrifolia Cham. & Schlechtd. 224
pyrethrifolia sensu DC. 224
runcinata Sond. 224
sprengeliana Eckl. & Zeyh. 224
trifida Cham. & Schlechtd. 224
var. palmata (DC.) Sonder 224
var. pinnatifida Sond. 224
triradiata E. Mey. 224
Ligusticum capense (Burm. f.) DC. 225
Lyperia antirrhinoides (L.f.) Hilliard 341
formosa Hilliard 341

MANGALY, JOSE K. & SABU, M.
Alpinia smithiae (Zingiberaceae): a new species from South India 69
Marlothiella H. Wolff 157, 225
gummifera H. Wolff 225
MARTINS, F.R. & OLIVEIRA-FILHO, A.T.
A comparative study of five cerrado areas in southern Mato Grosso, Brazil 307
Mato Grosso, A comparative study of five cerrado areas in 307
Meeboldia achilleifolia (DC.) P.K. Mukherjee & Constance 44
Mercurialis afra L. 225
MIDDLETON, DAVID J.
Ecology, reproductive biology and hybridization in Gaultheria L. 81
Taxonomic studies in the Gaultheria group of genera of the tribe Andromedeae (Ericaceae) 283
MILL, R.R.
The generic position of C.B. Clarke's species of Paracaryum (Boraginaceae) 55
MUKHERJEE, P.K. & CONSTANCE, L.
New taxa and transfers in Indian Umbelliferae 41
Myrrhis capensis (Thunb.) Spreng. 225

Oenanthe capensis (Cham. & Schlechtd.) D. Dietr. 226
capensis Houtt. 225
dregeana E. Mey. 226
elata (Eckl. & Zeyh.) D. Dietr. 226
exaltata Thunb. 226
ferulacea Thunb. 226

filicaulis (Eckl. & Zeyh.) D. Dietr. 226
filiformis Lam. 226
hirsuta (Eckl. & Zeyh.) D. Dietr. 226
inebrians Thunb. 226
interrupta Thunb. 226
macrocarpa (Eckl. & Zeyh.) D. Dietr. 226
montana (Eckl. & Zeyh.) D. Dietr. 226
obscura Spreng. 226
seseloides C. Presl. 226
spuria (Eckl. & Zeyh.) D. Dietr. 226
tenuifolia Thunb. 226
OLIVEIRA-FILHO, A.T. & MARTINS, F.R.
A comparative study of five cerrado areas in southern Mato Grosso, Brazil 307
Oreoselinum capense Eckl. & Zeyh. 226
glaucum (Eckl. & Zeyh.) Presl. 226
uliginosum Eckl. & Zeyh. 226

Pappea Sond. & Harv. 226
capensis Sond. & Harv. 226
Paraboea (Gesneriaceae), Towards a revision of : I 1
Paraboea (C.B.Cl.) Ridley 1
amplifolia Xu & Burtt 1
berouwensis Xu & Burtt 2
chiangdaoensis Xu & Burtt 3
kalimantanensis Xu & Burtt 3
madaiensis Xu & Burtt 4
mahaxayana Xu & Burtt 5
matënsis Xu & Burtt 5
multiflora (R.Br.) B.L. Burtt var. caulescens 7
nervosissima Xu & Burtt 9
paramartinii Xu & Burtt 10
pubicorolla Xu & Burtt 10
rabilii Xu & Burtt 11
sabahensis Xu & Burtt 12
tarutaonësis Xu & Burtt 13
trachyphylla Xu & Burtt 13
uniflora Xu & Burtt 15
variopila Xu & Burtt 15
Paracaryopsis (H. Riedl) R. Mill 56
coelestina (Lindley) R. Mill 57
lambertiana (C.B. Clarke) R. Mill 57, 59
malabarica (C.B. Clarke) R. Mill 57, 59
Paracaryum (Boraginaceae), The generic position of C.B. Clarke's species of 55
Pastinaca 160
sativa L. 226
Paxillus Fries 354
aureus Lloyd 355
crassus Fr. 355
eucalyptorum Berk. 355
hirtulus F. Mueller 355
infundibuliformis Cleland 356, 382
involutus (Fr.) Fr. 357, 384
muelleri (Berk.) Sacc. 357, 382
olivaceoflavidus (Cooke & Massee) Reid 380, 382
psammophila Cleland 359, 382
veluticeps (Sacc.) Singer 360, 382
Perfoliata [Burm.] O. Kuntze 226
capitata (L.f.) O. Kuntze 227
ciliata (L.f.) O. Kuntze 227
gigantea (L.f.) O. Kuntze 227
quinquedentata (L.f.) O. Kuntze 227
villosa (L.) O. Kuntze 227
Pernettyopsis 302
Petroselinum J. Hill 227
crispum (Mill.) A.W. Hill 227
hortense Hoffm. 227
humile Meisn. 227
sativum Hoffm. 227
Peucedanum L. 156, 158-9, 227
abbreviatum [E.Mey. ex] Meisn. 227-8
angustisectum (Engl.) C. Norman 228
araliaceum (Hochst) Vatke 228
caffrum (Meisn.) Phillips 228
caledonicum Eckl. & Zeyh. 228
camdebooense B.L. Burtt 228
capense (Eckl. & Zeyh.) D. Dietr. 228
capense (Thunb.) Sond. 228
var. lanceolatum Sond. 228
var. *latifolium* Sond. 229

capillaceum Thunb. 229
var. rigidum Sonder 229
collinum (Eckl. & Zeyh.) D. Dietr. 229
connatum [E.Mey. ex] Sond. 230
cynorhiza Sond. 230
dinteri H. Wolff 230
dregeanum D. Dietr. 230
ecklonianum Sond. 230
ecklonis Walp. 230
elongatum [E.Mey. ex] Meisn. 230
ferulaceum (Thunb.) Eckl. & Zeyh. 230
var. stadense (Eckl. & Zeyh.) Sond. 231
galbaniopse H. Wolff 231
galbanum (L.) Drude 231
gummiferum (L.) Wijnands 231
hypoleucum (Meisn.) Drude 232
kamiesbergense B.L. Burtt 232, 272
lancifolium (Mattf.) Hiroe 232
lateriflorum (Eckl. & Zeyh.) Sonder 233
magalismontanum Sonder 234
millefolium Sond. 234
montanum (Eckl. & Zeyh.) Drude 234
montanum (Sonder) Drude 234
multiradiatum Drude 234
natalense (Sonder) Engler 234
officinale L. 234
olifantianum (Koso-Poljansky) Hiroe 235
pearsonii Adamson 235
platycarpum [E.Mey. ex] Sonder 235
pungens [E.Mey. ex] Sonder 235
rigidum Eckl. & Zeyh. 235
rigidum E.Mey. 235
schlechteri Engl. 235
schlechterianum H. Wolff 235
sieberianum Sond. 235
sonderi (Hiroe) B.L. Burtt 235
stadense Eckl. & Zeyh. 237
striatum (Thunb.) Sonder 237
strictum (Sprengel), B.L. Burtt 237
sulcatum Sonder 237
tenuifolium Thunb. 238
var. *hypoleucum* (Meisn.) O. Kuntze 239
thodei T. Arnold 239
triternatum Eckl. & Zeyh. 239
typicum (Eckl. & Zeyh.) B.L. Burtt 239
uliginosum (Eckl. & Zeyh.) D. Dietr. 239
upingtoniae (Schinz) Drude 239
venosum Burtt Davy 240
virgatum Cham. & Schlechtd. 240
wilmsianum H. Wolff 240
zeyheri Sond. 240
zeyheri Steud. 240
Phlyctidocarpa Cannon & Theobald 161, 240
flava Cannon & Theobald 240
Phylloporus Quélet 361
australiensis Watling 362, 383
bellus (Massee) Corner 364, 383
var. cyanescens 383
bogoriensis Höhnel 367, 383
cingulatus Corner 368, 384
clelandii Watling 369, 383
foliiporus (Murr.) Singer 370, 383
hyperion (Cooke & Massee in Cooke) Singer 373, 383
leucomycelinus Singer 376, 383
orientalis Corner 377
paradoxus (Kalch.) Cleland 378
rhodoxanthus (Schw.) Bres. 378, 383
sulcatus (Pat.) Gilbert 379, 383
Phymatis cyminoides E. Mey. 240
Physospermopsis farillei P.K. Mukherjee & Constance 41
Physotrichia swynnertonii Bak.f. 240
Pimpinella L. 156, 159-161, 240
caffra (Eckl. & Zeyh.) D. Dietr. 241
capensis Thunb. 241
cordata E. Mey. 241
hydrophila H. Wolff 241
inundata (Farille & Malla) P.K. Mukherjee & Constance 44
kraussiana Meisn. 241
krookii H. Wolff 241
reenensis Rechinger 241

schlechteri H. Wolff 242
stadensis (Eckl. & Zeyh.) D. Dietr. 242
transvaalensis Wolff 242
Pituranthos Viv. 242
aphyllus (Cham. & Schlechtd.) Schinz 242
burchellii (DC.) Schinz 242
Pleuranthodium replaces the illegitimate Psychanthus (Zingiberaceae) 63
Pleuranthodium (K. Schum.) R.M. Smith 63
sect. Pleuranthodium 64
sect. Psychanthus 64
biligulatum (Val.) R.M. Smith 64
branderhorstii (Val.) R.M. Smith 64
comptum (K. Schum.) R.M. Smith 66
floccosum (Val.) R.M. Smith 64
floribundum (K. Schum.) R.M. Smith 66
gjellerupii (Val.) R.M. Smith 66
hellwigii (K. Schum.) R.M. Smith 66
iboense (Val.) R.M. Smith 66
macropycnanthum (Val.) R.M. Smith 64
neragaimae (Gilli) R.M. Smith 64
papilionaceum (K. Schum.) R.M. Smith 68
pedicellatum (Val.) R.M. Smith 68
peekelii (Val.) R.M. Smith 68
pelecystylum (K. Schum.) R.M. Smith 65
piundaundensis (van Royen) R.M. Smith 65
platynema (K. Schum.) R.M. Smith 65
pterocarpum (K. Schum.) R.M. Smith 65
racemigerum (F. Muell.) R.M. Smith 65
roemeri (Val.) R.M. Smith 65
schlechteri (K. Schum.) R.M. Smith 68
scyphonema (K. Schum.) R.M. Smith 68
tephrochlamys (Lauterb. & K. Schum.) R.M. Smith 65
trichocalyx (Val.) R.M. Smith 66
Polemannia Eckl. & Zeyh. 156, 243
grossulariifolia Eckl. & Zeyh. 242
marlothii H. Wolff 242
montana Schlechter & Wolff 242
simplicior Hilliard & Burtt 242
verticillata Sonder 243
Polemanniopsis B.L. Burtt 156, 243
marlothii (H. Wolff) B.L. Burtt 243
Ptychotis caruifolia Sond. 244
didyma Sond. 244
hispida (Thunb.) Sond. 244
meisneri Sond. 244
rigens (L.) Harv. 244
rigens sensu Harv. 244
tenuis Sond. 245

R*hyticarpus* Sond. 245
difformis (L.) Briq. 245
ecklonis Sond. 245
paniculatus (Thunb.) Koso-Poljansky 245
rugosus (Thunb.) Sond. 245
swellendamense (Eckl. & Zeyh.) Briq. 245
Rumia capensis Link 245
Rusts (Uredinales) on Astragalus (Fabaceae), Studies in 393
Ruthea Bolle 245
filiformis Koso-Poljansky 245
gummifera (L.) Drude 245
gummifera sensu Drude 245
interrupta (Thunb.) Drude 245

SABU, M. & MANGALY, JOSE K.
Alpinia smithiae (Zingiberaceae): a new species from South India 69
Sanicula L. 157, 245
canadensis sensu Thunb. 246
capensis (Cham. & Schlechtd.) Eckl. & Zeyh. 246
elata [Hamilt. ex] D.Don 246
europaea auct. non L. 246
natalensis Gandoger 246
Sarcostemma from Arabia, A new species of 333

Sarcostemma arabica Bruyns & Forster 333
Scandix pecten-veneris L. 246
Schlechterosciadium H. Wolff 246
gracillimum H. Wolff 246
Schulzia garhwalica (H. Wolff) P.K. Mukherjee & Constance 43
hameliana (Farille & Malla) P.K. Mukherjee & Constance 43
Sciothamnus Endl. 246
Scorzonera longiana H. Sümbül 35
Scrophulariaceae-Manuleae, Further new names and combinations in 341
Selinum annesorhizum F. Muell. 246
galbanum (L.) Spreng. 246
gummiferum (L.) Spreng. 246
kraussianum Jackson 246
suffruticosum (Berg.) Benth. & Hook.f. 246
Seseli asperum Thunb. 246
caffrum Meisn. 247
chaerophylloides Thunb. 247
filicifolium Thunb. 247
natalense Sond. 247
sonderi Hiroe 247
striatum Thunb. 247
uliginosum (Eckl. & Zeyh.) Hiroe 247
Sinocarum acronemifolium (C.B. Clarke) P.K. Mukherjee & Constance 43
clarkeanum P.K. Mukherjee & Constance 42
sikkimense (P.K. Mukherjee) P.K. Mukherjee & Constance 43
wolffianum (Fedde) P.K. Mukherjee & Constance 42
Sison capensis (Thunb.) Spreng. 247
ruta Burm.f. 247
Sium L. 160, 247
angustifolium L. 247
asperum Thunb. 247
difforme (L.) Hiroe 247
filifolium Thunb. 247
grandiflorum Thunb. 247
hispidum Thunb. 247
patulum Thunb. 247
repandum [Welw. ex] Hiern. 247
repens Jacq. 247
thunbergii DC. 247
villosum Thunb. 248
SMITH, R.M.
New species of Alpinia from Sulawesi and Sarawak 347
Notes relating to the flora of Bhutan: XVII. Zingiberaceae 23
Pleuranthodium replaces the illegitimate Psychanthus (Zingiberaceae) 63
Solandra L. 248
capensis L. 248
Sonderina H. Wolff 159, 161, 248
caruifolia (Sond.) H. Wolff 248
didyma (Sond.) Adamson 248
hispida (Thunb.) H. Wolff 248
humilis (Meisn.) H. Wolff 249
streyi Merxm. 249
tenuis (Sond.) H. Wolff 249
Stahlianthus andersonii (Baker) R.M. Smith 24
involucratus (King ex Baker) R.M. Smith 24
Steganotaenia Hochst 158, 249
araliacea Hochst. 249
Stenosemis [E.Mey. ex] Sonder 250
angustifolia [E. Mey. ex] Sonder 250
caffra (Eckl. & Zeyh.) Sonder 250
Stoibrax Rafin. 159, 250
capense (Lam.) B.L. Burtt 251
SÜMBÜL, H.
Ten new species from Anatolia and two new records for the flora of Turkey 27
Sutera calciphila Hilliard 342
cinerea Hilliard 342
comptonii Hilliard 342
decipiens Hilliard 342
glandulifera Hilliard 343
impedita Hilliard 343
langebergensis Hilliard 343
longipedicellata Hilliard 343
multiramosa Hilliard 344
paniculata Hilliard 344
placida Hilliard 344

polelensis Hiern
subsp. fraterna Hilliard 344
septentrionalis Hilliard 345
subsessilis Hilliard 345
tenuicaulis Hilliard 345
titanophila Hilliard 345
uncinata (Derouss.) Hilliard 346

Tanacetum (Anthemidae) from Pakistan, new taxa 45
Tanacetum emodi R. Khan 45
gilgitii R. Khan 45
roylei (DC.) R. Khan 47
stoliczkae (C.B. Clarke) R. Khan 50
Tapinella Gilbert 380
panuoides (Fr.) Gilbert 381, 382
Tenoria arborescens Spreng. 251
difformis (L.) Spreng. 251
nuda (Soland.) Spreng. 251
Tepuia 303
Teucrium from northern Somalia, A new species of 337
Teucrium eburneum Thulin 337
Thesium (Santalaceae) from the Flora Zambesiaca area, New names in 53
Thesium bundiense Hilliard 53
fanshawei Hilliard 53
helodes Hilliard 53
inhambanense Hilliard 53
inonense Hilliard 54
magnifructum Hilliard 54
pygmaeum Hilliard 54
singulare Hilliard 54
THULIN, M.
A new species of Teucrium from northern Somalia 337
Thunbergiella H. Wolff 251
filiformis (Koso-Poljansky) H. Wolff 251
Torilis Adans. 159, 251
africana Spreng. 251
arvensis (Huds.) Link 251
melanantha (Hochst.) Vatke 252
nodosa (L.) Gaertn. 252
Trachydium rigens (L.) Hiroe 252
Trachysciadium (DC.) Eckl. & Zeyh. 252
Trachysciadium sensu H. Wolff 252
capense Eckl. & Zeyh. 252
Trachyspermum capense Eckl. & Zeyh. 252
capense (Eckl. & Zeyh.) Drude 252
caruifolium (Sond.) Drude 252
didymum (Sond.) Drude 253
rigens (L.) G.Don 253
tenue (Sond.) Engl. 253
Tragiopsis didyma (Sond.) H. Wolff 253
swellendamensis Eckl. & Zeyh. 253
uitenhagensis Eckl. & Zeyh. 253
Trisanthus Lour. 253

Umbelliferae of Southern Africa 133
Uromyces astragali-alopecuri Gjærum 393, 399
astragali-atropilosuli Gjærum 395, 399
astragali-lasiosemi 399
astragali-pseudoutrigeris Gjærum 395, 400
jordianus 400
lapponicus Lagerh. 396, 399, 400
phacae-frigidae 400
punctatus Schroet. 396, 400
semnanensis Gjærum 399, 400
transcaspicus 400
wartoensis Petr. 399, 400

WATLING, ROY & FENDER, SALLY J.
Effects of digestion on Agaric structures 101
WATLING, ROY & GREGORY, NORMA
Observations on the boletes of the Cooloola sand-mass, Queensland and notes on their distribution in Australia: Part 3. Lamellate taxa 353
WATLING, ROY & IŞILOĞLU, MUSTAFA
Poisonings by Lepiota helveola Bres. in southern Turkey 91

XU ZHAORAN & BURTT, B.L.
Towards a revision of Paraboea (Gesneriaceae):I. 1

Zenobia 301